

IZO SAYDAM


LIQUID GLASS SURFACE COATING



Product Description:

This product is a transparent, glassy, thick, and hard protective coating that, when applied to ceramic, tile, marble, brick, and natural stone surfaces, preserves their natural appearance without yellowing. It is a single-component, solvent-based, ready-to-use insulation coating. Application is extremely easy; simply open the lid, dip the brush into the product, and apply it to the surface.

GENERAL SPECIFICATIONS



- ✓ **Waterproofing:** Provides a strong waterproof barrier.
- ✓ **Flexibility:** Adapts to structural movements, does not crack or peel.
- ✓ **Protection:** Resistant to UV rays, temperature changes, and sunlight.
- ✓ **Easy Application:** Can be easily applied with a brush or finger roller.
- ✓ **Durability:** Offers high durability and long-lasting insulation.
- ✓ **Transparency:** Preserves the natural appearance of the applied surface, does not block light transmission.



EXTENSIVE APPLICATION RANGE

- **Indoor and Outdoor Spaces:** Provides waterproofing and surface protection in areas like balconies, terraces, bathrooms, and kitchens.
- **Decorative Surfaces:** Effective for protecting decorative surfaces such as natural stone, marble, and brick.
- **Industrial Areas:** Can be used as a floor coating in factories and warehouses.

TECHNICAL SPECIFICATIONS

- **Application Instructions:** The surface to be applied must be free from dirt, dust, oil, and any loose residues, and it should be clean and dry. To enhance the adhesion of the surface, you can apply a primer using cellulose thinner. Izo Saydam is ready to use and does not require any additional additives. After mixing with a mixer for 3 minutes, apply it to the surface in two coats using a finger roller or brush. The waiting time between coats is 6 hours. Ensure the application is done at temperatures between +5°C and +35°C.
- **Consumption:** 0.4 kg/m² for two coats
- **Color:** Transparent
- **Storage Conditions:** Store in a dry and cool environment, in its original unopened packaging.
- **Shelf Life:** 12 months
- **Packaging Type:** 0.75 kg, 2 kg metal cans